

**Work Order ID 58719**

Tuesday, May 18, 2010 8:01:51 AM



Page 1

Item ID: D3259-042

Accept



Setup Start



Revision ID:

Stop



Item Name: Access Panel Assembly

Start Date: 5/17/2010 Start Qty: 4.00



Cust Item ID:

Required Date: 5/21/2010 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

*PD*

Date:

*10518*

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run Start



Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

Draw Nbr

Revision Nbr

D3259

Rev A1

100

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

*EP 10/06/02 (4)*

110

Small Fab

0.00



Small Fab

Memo

0.00

Small Fab

Assemble D3259-041 as per Dwg D3259 .□Note:Keep .040" Gap all around door.

*EP 10/06/02 (4)*

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

*S 106662**(4)*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 58719**

Tuesday, May 18, 2010 8:01:51 AM



Page 2

Item ID: D3259-042

Accept



Setup Start



Revision ID:

Item Name: Access Panel Assembly

Stop



Start Date: 5/17/2010 Start Qty: 4.00



Cust Item ID:

Required Date: 5/21/2010 Req'd Qty: 4.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run HoursDraw  
NumberDraw  
Rev.Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

130

Identify as per dwg & Stock Location: 130

0.00



Packaging

Memo

0.00

Packaging

10-6-3 (42) SP

140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

10/06/04 AJu 10-06-03

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Tuesday, May 18, 2010 8:01:56 AM

Page 1

Work Order ID: 58719

Parent Item: D3259-042

Parent Item Name: Access Panel Assembly






Comments: IPP Rev:A New Issue 07-07-19 JLM Verified By:EC

Start Date: 5/17/2010

Required Date: 5/21/2010

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
MS20470AD3-5  Rivet		Purchased	No			100	Each	4,362.000	40		5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST319				4362				
				104817				3030				
				9682				1332				
* D3161-5  Hinge 9.9"		Manufactured	No			110	Each	25.0000	14		5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST040				25				
				43606				3				
				47187				10				
				47773				12				
D3259-1  Panel		Manufactured	No			110	Each	5.0000	14		5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST180				5				
				47850				5				
D3259-4  Doubler		Manufactured	No			110	Each	4.0000	14		5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST180				4				
				47190				4				
D3259-5  Spacer		Manufactured	No			110	Each	0.0000	14		5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST180				4				
				47190				4				

40  
5/10/06/02

40  
5/10/06/02

B43760 (30)

14  
5/10/06/02

358749 (30)

14  
5/10/06/02

4  
5/10/06/02

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Tuesday, May 18, 2010 8:01:56 AM

Page 2

Work Order ID: 58719

Parent Item: D3259-042

Parent Item Name: Access Panel Assembly







Comments: IPP Rev:A New Issue 07-07-19 JLM Verified By:EC

Start Date: 5/17/2010

Required Date: 5/21/2010

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
D3259-7  Door		Manufactured	No			110	Each	4.0000	74		Ep 5/10/06/02 B58751 (4X)	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST180				4				
				47851				4				
D3260-1  Spring		Manufactured	No			110	Each	22.0000	79		Ep 5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST047				22				
				47852				22				
<del>D3972-5</del>  Grommet, Half, DZUS		Manufactured	No			110	Each	0.0000	78		Ep 5/10/06/02	
D3973-5  Receptable, Rigid, DZUS		Manufactured	No			110	Each	0.0000	78		Ep 5/10/06/02	
D3974-20  Stud, Wing Head, 5/16 DZUS		Manufactured	No			110	Each	0.0000	78		Ep 5/10/06/02	
MS20426AD4-4  Rivet		Purchased	No			110	Each	1,410.000	716		Ep 5/10/06/02	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>		
				ST316				1410				
				15541				1410				

Tuesday, May 18, 2010 8:01:56 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

Tuesday, May 18, 2010 8:01:56 AM

Work Order ID: 58719

Parent Item: D3259-042

Parent Item Name: Access Panel Assembly


Comments: IPP Rev:A New Issue 07-07-19 JLM Verified By:EC

Start Date: 5/17/2010

Required Date: 5/21/2010

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Qty Issued	Date Issued	Status
MS20470AD3-4 \		Purchased	No			110	Each	11,441.00	2844			
												
Rivet, Universal Head												

Location

Loc Qty

Loc Code

ST319

11441

111477

8332

15541

3109

*EF 5/18/06/02*

144

**Dart Aerospace Ltd**


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



ITEM	QTY	PART NUMBER	DESCRIPTION
1	X	D3259-041	ACCESS PANEL ASSEMBLY
2	1	D3161-5	HINGE
3	1	D3259-1	PANEL
4	1	D3259-3	DOUBLER
5	1	D3259-5	SPACER
6	1	D3259-7	DOOR
7	2	D3260-1	SPRING
8	2	D3972-5	GROMMET, HALF, DZUS
9	2	D3973-5	RECEPTACLE, RIGID, DZUS
10	2	D3974-20	STUD, WING HEAD, 5/16 DZUS
11	36	MS20470AD3-4	RIVET
12	10	MS20470AD3-5	RIVET
13	4	MS20426AD4-4	RIVET



### D3259-041 ACCESS PANEL ASSEMBLY

#### NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: NONE
- 6) IDENTIFICATION: IDENTIFY WITH P/N "D3259-041" AND B/N "BXXXXX" USING FINE POINT PERMANENT MARKER
- 7) WEIGHT: 1.2 lbs

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. *58719*  
*BS10-5-19*

**RELEASED**  
2009-10-08

B	REFORMAT DWG, R0.25 WAS R0.18 (ZN B8-4, B1-5)	CP	09.08.12
A	-3F REDESIGN (SHT 6), WIDEN SLOTS (ZN D6-1, D5-2)	CP	04.02.25
REV.	NEW ISSUE	BY	DATE
DESIGN	RF	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV.
MFG. APPR.		D3259	SHEET 1 OF
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSEMBLY	NT
DATE	09.08.12	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

8 7 6 5 4 3 2 1



ITEM	QTY	PART NUMBER	DESCRIPTION
1	X	D3259-042	ACCESS PANEL ASSEMBLY
2	1	D3161-5	HINGE
3	1	D3259-1	PANEL
4	1	D3259-4	DOUBLER
5	1	D3259-5	SPACER
6	1	D3259-7	DOOR
7	2	D3260-1	SPRING
8	2	D3972-5	GROMMET, HALF
9	2	D3973-5	RECEPTACLE, RIGID, DZUS
10	2	D3974-20	STUD, WING HEAD, 5/16 DZUS
11	36	MS20470AD3-4	RIVET
12	10	MS20470AD3-5	RIVET
13	4	MS20426AD4-4	RIVET







# **D3259-042 ACCESS PANEL ASSEMBLY**

## **NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: NONE
- 6) IDENTIFICATION: IDENTIFY WITH P/N "D3259-042" AND B/N "BXXXXX" USING FINE POINT PERMANENT MARKER
- 7) WEIGHT: 1.2 lbs

W058719

**RELEASED**  
2008-10-08

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3259	SHEET 2 OF 8
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSEMBLY	NTS
DATE	09.08.12	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			

8 7 6 5 4 3 2 1

# Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



**D3259-1 PANEL**

- NOTES:**
- 1) MATERIAL: 2024-T3 ALUMINUM SHEET 0.032 THICK PER AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209  
REF DART SPEC. M2024T3S.032
  - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3259-1" USING REMOVABLE TAG
  - 7) WEIGHT: 0.25 lbs
  - 8) MAKE PER DWG FILE "D3259-1B.DXF"

DESIGN		<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA DRAWING NO. <b>D3259</b> TITLE <b>ACCESS PANEL ASSEMBLY</b> SCALE NTS COPYRIGHT © 2004 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	09.08.12	

**RELEASED**  
2009-10-08

**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





**Dart Aerospace Ltd**


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



W/O 38719

**RELEASED**  
2009-10-08


**Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# NOTES:

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET 0.063 THICK PER AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209  
REF DART SPEC. M2024T3S.063
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3259-3F" USING REMOVABLE TAG
- 7) WEIGHT: 0.31 lbs
- 8) MAKE PER DWG FILE "D3259-3FB.DXF"

## D3259-3F DOUBLER

RELEASED  
2009-10-08

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3259	SHEET 6 OF 8
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSEMBLY	NTS
DATE	09.08.12	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



u1058719

**RELEASED**  
2009-10-08

**NOTES:**

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET 0.032 THICK PER AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209  
REF DART SPEC. M2024T3S.032
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3259-5" USING REMOVABLE TAG
- 7) WEIGHT: 0.07 lbs
- 8) MAKE PER DWG FILE "D3259-5B.DXF"

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3259	SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSEMBLY	NTS
DATE	09.08.12	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries





**D3259-7 DOOR**

**NOTES:**

- 1) MATERIAL: 2024-T3 ALUMINUM SHEET 0.063 THICK PER AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209  
REF DART SPEC. M2024T3S.063
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3259-7" USING REMOVABLE TAG
- 7) WEIGHT: 0.35 lbs
- 8) MAKE PER DWG FILE "D3259-7B.DXF"

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3259	SHEET 8 OF 8
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSEMBLY	NTS
DATE	09.08.12	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

**RELEASED**  
2009-10-08

W/658719

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries